



<b>ROUND and SQUARE PILOT ROCK PLASTIC DOME LIDS</b> (Catalog Page 56)			
Model No.	Size and Receptacles used with	Wt. (lbs.)	Price
CN-PD/◆-27	Round, 27-1/4" I.D., 27-3/4" O.D. – fits TRH-32, on top ring of TRH-55, CN-R/R-52, CN-R/D-52, CN-R/R-55, CN-R/D-55	9	\$86.00
CN-PD/◆-24	Round, 24" I.D., 24-1/2" O.D. – fits TRH-32, 55 gal. barrel inside TRH-55, CN-AMR-32, CN-R/R-32, CN-R/D-32, CN-R/SS2-36, CN-R/SS3-36, CN-EXP52, CN-R/SP2-32, CN-TR-52	8	\$88.00
CN-PQD/◆-27	Square, 27" I.D., 27-1/2" O.D. – fits TRQ-32	10	\$90.00
CN-PQD/◆-24	Square, 23-1/2" I.D., 24" O.D. – fits CN-AMQ-32	9	\$92.00
Replace ◆ in Model No. with C for Cedar, W for Brown, Y for Yellow, N for Green, A for Gray, B for Black, R for Red, U for Blue, O for Orange.			



<b>PLASTIC DOME LID – ARCHED DOOR</b> (Catalog Page 56)			
Model No.	Size and Receptacles used with	Wt. (lbs.)	Price
CN/◆-4455	24" I.D., 24-3/4" O.D. – fits TRH-32, 55 gal. barrel, CN-R/R-32 , CN-R/D-32, CN-R/SS2-36, CN-R/SS3-36, CN-R/SP2-32, CN-TR-52	10	\$92.00
Replace ◆ in Model No. with W for Brown, O for Orange, A for Gray, Y for Yellow, B for Black, R for Red, U for Blue.			



<b>PLASTIC DOME LID – SQUARE DOOR</b> (Catalog Page 56)			
Model No.	Size and Receptacles used with	Wt. (lbs.)	Price
CN-SDR/◆-24	24" I.D., 24-3/8" O.D. – fits TRH-32, 55 gal. barrel inside TRH-55, CN-AMR-32, CN-R/R-32, CN-R/D-32, CN-R/SS2-36, CN-R/SS3-36, CN-EXP52, CN-R/SP2-32, CN-TR-52, 55 gal. barrel	9	\$84.00
Replace ◆ in Model No. with W for Brown, N for Green, A for Gray, B for Black, R for Red, U for Blue.			



<b>STEEL DOME LIDS – Galvanized or Powder Coated Finish</b> (Catalog Page 56) – 20 Ga. Steel			
Model No.	Size and Receptacles used with	Wt. (lbs.)	Price
CN/◆-3434	21" I.D., 21-3/4" O.D. – fits Federal Duty 32 gal. Galvanized Can CNG-WHD32C	9	\$99.00
CN/◆-5555	23-3/4" I.D., 24-1/2" O.D. – fits TRH-32, 55 gal. barrel inside TRH-55, CN-AMR-32, CN-R/R-32, CN-R/D-32, CN-R/SS2-36, CN-R/SS3-36, CN-EXP52, CN-R/SP2-32, CN-TR-52, 55 gal. barrel	11	\$104.00
CN/◆-2755	27-3/8" I.D., 27-1.2" O.D., – fits TRH-55, CN-R/R-52, CN-R/D-52, CN-R/R-55, CN-R/D-55	13	\$114.00
Replace ◆ in Model No. with G for Hot-Dip Galvanized finish or for *Powder Coated finish colors use the letter designations on Page 2.			

\*See Pages 2 and 3 for optional Lumber species, material color options, and the character designators to specify those options in the Model Numbers.

**RJ Thomas Mfg. Co., Inc.**

P.O. Box 946 • Cherokee, Iowa 51012-0946 • **ORDERS Toll Free: 800-762-5002** • FAX: 712-225-5796 • 712-225-5115

**FINISH, MATERIAL, and COLOR OPTIONS** (Catalog Pages 44, 45 & 46)

<b>FINISH</b>	Specifications	Product Availability	<b>COLOR</b> selections and Model Number Designations
Heat Resistant Black Enamel Paint	Silicone based paint is lead and chrome free and especially formulated for Pilot Rock. The non-toxic, matte (low gloss) black enamel paint is high heat resistant, capable of enduring temperatures exceeding 750 degrees.	Grills, firerings, utility tables, shelves, grill covers, select grill accessories, and hot coal bins.	Use <b>"/B"</b> in the model numbers. Example: ULT/ <b>B</b> -1 for a Black Enamel painted ULT Series Utility Table. Exceptions: grills and firerings are normally finished in Black enamel paint and the model numbers do not include the <b>"/B"</b> designator.
Hot-Dip Galvanized Finish	Applied after fabrication and welding to ASTM-A123 specifications to maintain average zinc coating of 2.0 oz. per sq. ft. of surface area.	Select bench and table frame components, lantern holders, trash receptacle holder components, bike racks, and some grill models.	Use <b>"/G"</b> in the model numbers. Example: XT/ <b>G</b> -6UP for Hot-Dip Galvanized XT Series table frames.
Powder Coat Finish	Baked on, lead-free, TGIC polyester powder coat paint finish applied in a multi-step process of material preparation and finish application. Chemically bonded to the metal substrate in 430 degree industrial oven to a 3 mil thick coating.	Steel components on select benches, tables, lantern holders, trash receptacle holder components, and bike racks.	For Steel Components use: <b>"/CU"</b> for Blue <b>"/CB"</b> for Black <b>"/CN"</b> for Green <b>"/CW"</b> for Brown <b>"/CY"</b> for Yellow <b>"/CR"</b> for Red <b>"/CA"</b> for Gray <b>"/CE"</b> for Burgundy Example: UT/ <b>CN</b> -6UP for UT table frames powder coated Green.
		Mill finish Aluminum Planks on select benches and tables. See Aluminum specifications on Page 3.	For Aluminum Planks use: <b>"/AU"</b> for Blue <b>"/AB"</b> for Black <b>"/AN"</b> for Green <b>"/AW"</b> for Brown <b>"/AY"</b> for Yellow <b>"/AR"</b> for Red <b>"/AA"</b> for Gray <b>"/AE"</b> for Burgundy Example: XT/ <b>G-6AR</b> for Aluminum planks powder coated Red on XT table frames.
Thermo-plastic Coating	UV-stabilized, PVC and Phthalate free, textured matte finish, colored polyethylene powder applied to steel components in a multi-step process of material preparation and finish application for superior adhesion. Fused and bonded to steel heated to 550 - 600 degrees and baked at high temperatures to cure the coating.	Steel components on select benches, tables, trash receptacles, lids, and bike racks, including expanded steel, perforated steel, cut plate steel, steel strap, and formed steel channel.	For Cut Steel, Steel Strap, or Formed Steel Channel components use: <b>"/TB"</b> for Black <b>"/TU"</b> for Blue <b>"/TW"</b> for Brown <b>"/TA"</b> for Gray <b>"/TR"</b> for Red <b>"/TN"</b> for Green Example: B122/ <b>CB-4SP/TA</b> for a B120 Series Contemporary Steel Bench with Gray Cut Steel Plate contour seat.  For examples of Steel Strap and Formed Steel Channel and for material and color designations for components with V-Type and D-Type Expanded Steel, or H-Type and R-Type Perforated Steel, see the respective material sections on Page 3.

<b>MATERIAL</b>	Specifications	Product Availability	<b>COLOR</b> selections and Model Number Designations
100% Recycled Plastic	100% recycled high-density polyethylene molded into solid shapes corresponding to nominal lumber dimensions and other functional shapes. Solid color throughout and UV stabilizer for ultraviolet protection.	2" x 10" planks for tables; 2" x 4", 2" x 6", 2" x 10", or 3" x 4" for various benches; and 1" x 4" or 2" x 4" slats for trash and recycling receptacle holders.	Use: <b>"/PR"</b> for Red <b>"/PY"</b> for Yellow <b>"/PB"</b> for Black <b>"/PU"</b> for Blue <b>"/PD"</b> for Weathered Redwood <b>"/PC"</b> for Cedar <b>"/PG"</b> for Green <b>"/PA"</b> for Gray <b>"/PW"</b> for Brown <b>"/PN"</b> for Gold Example: B110C/ <b>CB-6PU24</b> for a B110C Series Accessible Bench with Blue Recycled Plastic.
	Recycled Plastic model number designation exceptions: For RB Series benches and RT Series tables, drop the "P" from the above designations. Examples: RBB/ <b>Y-6B26</b> for an RBB Series Bench or RT/ <b>W-6C</b> for an RT Series Table. For AT, AFT, WAT, and ART Series tables with Recycled Plastic drop the "P" from the above designations for the frame color after the "AT", "AFT", "WAT", or "ART" but use the usual letters for the top and seat colors. Example: AT/ <b>W-6PN</b> for an AT Series Table.		
Untreated #1 Southern Yellow Pine	Kiln dried, precision drilled, and all exposed edges removed to 3/8" radius.	2" x 10" planks for tables; 2" x 4" or 2" x 10" for various benches; and 2" x 4" slats for trash receptacle holders.	Use <b>"/UP"</b> in the model numbers. Example: WUTH/ <b>G-8UP</b> for Untreated Pine on a WUTH Series table.
Treated #1 Southern Yellow Pine	Pressure treated with wood preservative (no arsenic), kiln dried after treatment (KDAT), precision drilled, and all exposed edges removed to 3/8" radius.	2" x 10" planks for tables; 2" x 4" or 2" x 10" for various benches; and 2" x 4" slats for trash receptacles holders.	Use <b>"/TP"</b> in the model numbers. Example: PCXB/ <b>G-6TP24</b> for Treated Pine on a portable CXB Series bench.
Construction Heart Redwood	Made from interior grain of American Redwood, precision drilled, and all exposed edges removed to 3/8" radius.	3" x 4" timbers for WB, WRB, OWB, OWRB, B30, B40, and B60 Series benches. Available when in stock on other benches and tables – please inquire.	Use <b>"/CO"</b> in the model numbers. Example: PWRB/ <b>G-4CO34</b> for Construction Heart Redwood on a portable WRB Series bench.
Exotic Imported Hardwoods	Species may vary depending on availability and cost. Currently using an Indonesian Balau Wood in 3" x 4" nominal dimension only.	3" x 4" timbers for B30, B40, and B60 Series benches. Available when in stock on WB, WRB, OWB, OWRB Series benches – please inquire.	Use <b>"/IB"</b> in the model numbers. Example: B30/ <b>CN-4IB34</b> for Indonesian Balau Wood on a Grey Creek B30 Series bench.
Other Species of Lumber: Cedar, Fir, and Clear Redwood available when in stock – please inquire.			

**FINISH, MATERIAL, and COLOR OPTIONS** ... continued on Page 3

**RJ Thomas Mfg. Co., Inc.**

P.O. Box 946 • Cherokee, Iowa 51012-0946 • **ORDERS Toll Free: 800-762-5002** • FAX: 712-225-5796 • 712-225-5115

**FINISH, MATERIAL, and COLOR OPTIONS** (Catalog Pages 44, 45 & 46) ...continued

MATERIAL	Specifications	Product Availability	COLOR selections and Model Number Designations
Aluminum 2" x 10" nominal Planks of 6063-T6 extruded Aluminum Alloy	<b>Clear Anodized Finish</b> to specification 204 R1.	Available on CXB, WMB, B300, AB, and APB Series benches; and on most rectangular and square tables as listed.	Use " <b>AL</b> " in the model numbers. Example: SCXB/G-8 <b>AL</b> for Aluminum planks on a CXB Series bench.
	Optional <b>Powder Coat Finish</b> on mill finish planks up to 12 ft. long.		For optional <b>Powder Coat finish</b> model number designations see Finish section on Page 2.
Expanded Steel fabricated using 3/4 - #9 Expanded Steel with a short longitudinal stretch	<b>D-Type</b> Expanded Steel: Standard Duty table top/seat design for most common public applications. <b>Thermo-plastic Coated</b>	Available on select benches, most rectangular tables, round tables (not available on SQT or PQT Series square tables), and select trash receptacles.	Use: " <b>DB</b> " for Black " <b>DU</b> " for Blue " <b>DW</b> " for Brown " <b>DA</b> " for Gray " <b>DR</b> " for Red " <b>DN</b> " for Green Example: T304/G-4 <b>DU</b> for a T300 Series table with Blue Expanded Steel.
	<b>V-Type</b> Expanded Steel: designed with wider edge banding and more supports for heavier use and ❄️ Snow Load applications. <b>Thermo-plastic Coated</b>	Available on select benches, and most rectangular tables and square tables (only specified rectangular tables are snow load rated).	Use: " <b>VB</b> " for Black " <b>VU</b> " for Blue " <b>VW</b> " for Brown " <b>VA</b> " for Gray " <b>VR</b> " for Red " <b>VN</b> " for Green Example: PAB/G-6 <b>VW</b> 10 for an AB Series bench with Brown Expanded Steel.
Perforated Steel fabricated using 14 ga. steel with 9/16" dia. holes punched on 13/16" straight line centers	<b>R-Type</b> Perforated Steel: standard duty table top/seat design for most common public applications. <b>Thermo-plastic Coated</b>	Available on select benches, most rectangular tables, round tables (not available on SQT or PQT Series square tables), and select trash receptacles.	Use: " <b>RB</b> " for Black " <b>RU</b> " for Blue " <b>RW</b> " for Brown " <b>RA</b> " for Gray " <b>RR</b> " for Red " <b>RN</b> " for Green Example: TPT/P/CY-8 <b>RR</b> for a TPT Series table with Red Perforated Steel.
	<b>H-Type</b> Perforated Steel: designed with wider edge banding and more supports for heavier use and ❄️ Snow Load applications. <b>Thermo-plastic Coated</b>	Available on select benches, and most rectangular tables and square tables (only specified rectangular tables are snow load rated).	Use: " <b>HB</b> " for Black " <b>HU</b> " for Blue " <b>HW</b> " for Brown " <b>HA</b> " for Gray " <b>HR</b> " for Red " <b>HN</b> " for Green Example: APB/G-8 <b>HR</b> 12 for an APB Series bench with Red Perforated Steel.
Cut Steel Plate	10 ga. Steel Plate, all-welded construction with pattern cut into the steel. <b>Powder Coat Finish</b>	Available on B80 and B90 Series flat and contour benches.	Use " <b>SP</b> " in the model numbers. Example: B92/CU-6 <b>SP</b> for an Oak Knoll Series bench with Blue Cut Steel contour. Cut Steel color is same as the frames and is designated by the "/CU". Replace "/CU" with other color designations for Powder Coat paint listed on Page 2.
	10 ga. Steel Plate, all-welded construction with pattern cut into the steel. <b>Thermo-plastic Coated</b>	Available on B70 and B120 Series flat and contour benches, T Series round tables, and the CN-R/SP2-32 Receptacle.	Use " <b>SP/T♦</b> " in the model numbers. Example: T204/G-6 <b>SP/TU</b> for a T Series table with Blue Cut Steel top and seats. Replace " <b>T♦</b> " with other color designations for the Thermo- plastic Coating listed on Page 2.
Steel Strap	1/8" thick Steel Strap, all-welded construction for flat and contour bench seating and Receptacles. <b>Powder Coat Finish</b>	Available on B80, B90, and B120 Series flat and contour benches, and on the CN-R/SS2-36 Receptacle.	Use " <b>SS</b> " in the model numbers. Example: B121/CB-4 <b>SS/CY</b> for a Contemporary Steel Series bench with Yellow Steel Strap flat seat. Replace "/CY" with other color designations for Powder Coat paint listed on Page 2.
	1/8" thick Steel Strap, all-welded construction Receptacles. <b>Thermo-plastic Coated</b>	Available on CN-R/SS3-36 and CN-R/SS3-ASH Receptacles, and P23 Planters.	Use " <b>T♦</b> " in the model numbers. Example: P-23/ <b>TN</b> for a planter with Green coating. Replace " <b>T♦</b> " with other color designations for the Thermo- plastic Coating listed on Page 2.
Formed Steel Channel	16 ga. Steel Plate formed to approximate 2" x 4" lumber dimensions, 10 ga. end caps and bracing, all-welded construction. <b>Thermo-plastic Coated</b>	Available on CXB, AB, APB, and WMB Series benches, and most steel frame rectangular tables.	Use " <b>SC/T♦</b> " in the model numbers. Example: UT/G-6 <b>SC/TR</b> for a UT Series table with Red Formed Steel Channel top and seats. Replace " <b>T♦</b> " with other color designations for the Thermo- plastic Coating listed on Page 2.

**RJ Thomas Mfg. Co., Inc.**