

WUTH Series 10 and 12 Foot Universal PARK · STREET · CAMP Accessible Rectangular Raised Top Table #SPC-TB-167 with Aluminum Top and Seats

SPECIFICATION BULLETIN

REV. 09-17



Model WUTH/CE-10AU Accessible Rectangular Raised Top Table with Burgundy powder coated frames, 10 ft. long with Blue powder coated Aluminum top and seats.

- Raised table top for greater wheelchair clearance
- Strong 1-5/8" diameter all welded, steel pipe end frame construction
- Nontip, nontrip, walk-through design with wheelchair accessibility at each end
- Full capacity seating when wheelchairs are not in place
- Frames are hot-dip galvanized after fabrication for superior corrosion resistance
- Structurally reinforced extruded Aluminum Top and Seats with clear anodized finish
- · Die-formed center channel under table top to support and align top planks
- Diagonal bracing for strength and rigidity
- Quality construction throughout
- Limited Lifetime Warranty on frames

AVAILABLE OPTIONS

10 or 12 foot lengths Choice of colors of Powder Coat Finish on steel frame components Choice of colors of Powder Coat Finish on Aluminum top and seats

SPECIFICATIONS:

- WUTH Series end frames are one-piece welded construction, fabricated from 1.66" OD x 10 ga. wall steel pipe to meet 1-1/4" nominal steel pipe size specifications with 2" x 2" x 1/8" die-formed steel angle for attaching the top and seats. Bends are tightly formed to prevent tipping when weight is on
- The frame design provides the ADA recommended wheelchair clearance under the table top of: 30" wide, 27" high, and 24" total knee and toe clearance (19" knee + 5" toe) at each end of the table while maintaining the full seating capacity of the table for common use.
- Table frame incorporates nontip, nontrip, walk-through design features.
- Model WUTH/G-10AL has a nom. 10 ft. length with three frames.
- Model WUTH/G-12AL has a nom. 12 ft. length with three frames.
- Nominal table height is 33". Frame design provides a nominal 31" of clearance from ground level to the underside of table. Nominal seat height is 19".
- Frames are supported by diagonal braces of 1-5/16" OD x 14 ga. wall steel pipe that connect to a die-formed steel channel designed to align and provide attachment to the table top.
- All galvanized fasteners are provided for assembly.
- **Standard:** All steel frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. WUTH/G-10AL).
- Aluminum is extruded 6063-T6 aluminum alloy in planks with dimensions equivalent to that of 2" x 10" nominal sized lumber. The plank design is 1-3/4" x 9-5/8" with four structural reinforcement ribs for greater rigidity. Aluminum planks are provided with a clear anodized finish as per anodizing specification 204 R1. Aluminum clips to fasten planks to frames are included.
- Channel end caps are of extruded 6063-T6 aluminum alloy provided with a clear anodized finish as per anodizing specification 204 R1. End caps are press fitted over ends of aluminum planks and mechanically fastened in place at the factory.
- Table tops are assembled into single units at the factory with one-piece end caps across each end.
- Optional: All steel frame components have powder coat finish. See Specification Bulletin #SPC-CO-001.
- Optional: Aluminum top and seats have powder coat finish. See Specification Bulletin #SPC-CO-001.
- •U.S. Patent Nos. D489,539; D490,992; D493,291; D496,799; D497,262; 6,918,630

