

## APT Series 6 and 8 foot Multi Pedestal Rectangular Table with Thermo-plastic Coated R-Type Perforated Steel Top and Seats

SPECIFICATION BULLETIN
#SPC-TB-094

REV. 11-19



Model APT/CB-6RU 6 ft. embedded mount multi pedestal rectangular table with black powder coated frames and blue R-Type thermo-plastic coated perforated steel top and seats

- · Permanent embedded mounting
- · Nontrip, walk-through design
- Sturdy 3" x 6" rectangular steel tube pedestals
- Frames are hot-dip galvanized after fabrication for superior corrosion resistance
- Thermo-plastic Coating heat fused to Perforated Steel Seats and Top for durability
- Thermo-plastic Coating formulated with U.V. stabilizers for ultraviolet protection
- Eight foot model can easily be installed to be handicap accessible
- Quality construction throughout

## **AVAILABLE OPTIONS**

6' or 8' lengths
Choice of colors of Powder Coat Finish for steel
frame components
Choice of colors of Thermo-plastic Coated
Perforated Steel
Surface mount base plate

## **SPECIFICATIONS:**

- •APT Series Table top and seat end frames are onepiece welded construction, fabricated from 3" x 6" x 1/8" wall rectangular structural steel tubing with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and tops. Exposed ends of rectangular tubing are permanently sealed with welded-on steel end caps. Frames are designed to be embedded in a concrete footing.
- Model APT/G-6 has a nominal length of 72".
- Model APT/G-8 has a nominal length of 96".
- Nominal table height is 32". Nominal seat height is 18".
- •Standard: All frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. APT/G-6RW).
- **R-Type** table top (14 ga.) and seats (12 ga.) are each one-piece welded construction, fabricated from perforated steel, with 9/16" dia. holes in a 13/16" center to center in-line pattern, and 2" formed vertical edges on all sides and reinforced by a strap and angle substructure.
- **Standard:** All steel surfaces of the top and seats are covered with a thermo-plastic coating in a Brown color (indicated by "RW" in model no., e.g. APT/G-6RW). The UV-stabilized thermo-plastic coating is applied in a multi step process of material preparation and finish application designed to permanently heat fuse and bond the finish to the steel. The thermo-plastic polyethylene finish is impact resistant, does not support mold or mildew, and the textured matte surface is less susceptible to marring and scuffing.
- All fasteners are provided for assembly.
- **Optional:** Color choices of thermo-plastic coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Color choices of powder coated steel frame components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Frames are provided with a 3/8" x 8" x 8" steel base plate to bolt table to existing concrete pad. To specify add "/P" after the "APT" in the model no., e.g. APT/P/G-6RW. (Anchor bolts not included.)
- Accessible Option: Model APT-8 can be made handicap accessible by mounting table top frame pedestals closer to center of table.

