

## APT Series 6 Foot Multi Pedestal Wheelchair Accessible Table Extended Both Ends with R-Type Thermo-plastic Coated Perforated Steel Top and Seats

SPECIFICATION BULLETIN #SPC-TB-263

REV. 11-19



Model APT/P/CB-6RR/E1 6 ft. Wheelchair Accessible Multi Pedestal Table, extended 1 ft. each end, optional Base Plate Mount Table with Black Powder Coated Frame and Red R-Type Thermo-plastic Coated Perforated Steel Top and Seats

- ADA compliant wheelchair accessibility at both ends
- Permanent embedded mounting
- Nontrip, walk-through design
- Sturdy 3" x 6" rectangular steel tube pedestals
- Frames are hot-dip galvanized after fabrication for superior corrosion resistance
- Thermo-plastic Coating heat fused to Perforated Steel Seats and Top for durability
- Thermo-plastic Coating formulated with U.V. stabilizers for ultraviolet protection
- Quality construction throughout

## **AVAILABLE OPTIONS**

Choice of colors of Powder Coat Finish for steel frame components Choice of colors of Thermo-plastic Coated Perforated Steel Surface mount base plate

## **SPECIFICATIONS:**

- •APT Series Table top and seat end frames are onepiece welded construction, fabricated from 3" x 6" x 1/8" wall rectangular structural steel tubing with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and tops. Exposed ends of rectangular tubing are permanently sealed with welded-on steel end caps. Frames are designed to be embedded in a concrete footing.
- Table top extends 1 ft. beyond seats (indicated by "/E1" in model no., e.g. APT/G-6RW/E1) to provide the ADA recommended wheelchair clearances of: 30" wide, 27" under table (ground to bottom of table top), and 24" total knee and toe clearance (19" + 5").
- Model APT/G-6RW/E1 has a nominal 8 ft. long top and 6 ft. long seats.
- Nominal table height is 32". Nominal seat height is 18".
- •Standard: All frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/ $\mathbf{G}$ " in model no., e.g. APT/ $\mathbf{G}$ -6RW/E1).
- **R-Type** table top (14 ga.) and seats (12 ga.) are each one-piece welded construction, fabricated from perforated steel, with 9/16" dia. holes in a 13/16" center to center in-line pattern, and 2" formed vertical edges on all sides and reinforced by a strap and angle substructure.
- Standard: All steel surfaces of the top and seats are covered with a thermo-plastic coating in a Brown color (indicated by "RW" in model no., e.g. APT/G-6RW/E1). The UV-stabilized thermo-plastic coating is applied in a multi step process of material preparation and finish application designed to permanently heat fuse and bond the finish to the steel. The thermo-plastic polyethylene finish is impact resistant, does not support mold or mildew, and the textured matte surface is less susceptible to marring and scuffing.
- All fasteners are provided for assembly.
- **Optional:** Color choices of thermo-plastic coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Color choices of powder coated steel frame components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Frames are provided with a 3/8" x 8" x 8" steel base plate to bolt table to existing concrete pad. To specify add "/**P**" after the "APT" in the model no., e.g. APT/**P**/G-6RW/E1. (Anchor bolts not included.)

