

Model PAB Surface Mount 4, 6, and 8 Foot Athletic Bench with Thermo-plastic Coated V-Type Expanded Steel Seat

SPECIFICATIONS:

SPECIFICATION BULLETIN
#SPC-BC-150

REV. 05-11




Model PAB/G-6VN10 Surface Mount Athletic Bench with hot dip galvanized frames, 6 ft. long with green thermo-plastic coated V-type expanded steel seat.


- Extra heavy design to be stronger and more stable with a simple, clean style.
- Sturdy, formed and welded steel frame construction
- Frames are Hot-Dip Galvanized after fabrication for superior corrosion resistance
- Thermo-plastic Coating heat fused to Expanded Steel Top for durability
- Thermo-plastic Coating formulated with U.V. stabilizers for ultraviolet protection
- Quality construction throughout

- Model PAB end frames are one-piece, welded construction with seat bracket of 2" x 2" x 3/16" A-36 structural grade steel angle and a 2.375" (2-3/8") O.D. post and foot to meet 2" nominal steel pipe size specifications. Frame foot is formed with flattened and rounded ends. A 9/16" hole is provided in each end of foot for optional surface mounting with concrete anchors (anchors not included).
- Model PAB/G-4 is 4 ft. long (nom.) with two frames.
- Model PAB/G-6 is 6 ft. long (nom.) with two frames and diagonal braces.
- Model PAB/G-8 is 8 ft. long (nom.) with two frames and diagonal braces.
- **Standard:** All steel frame coponents are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. PAB/**G**-4VW10).
- All fasteners are provided for assembly.
- **V-Type** bench seat is a one-piece welded construction, fabricated from a 3/4-#9 expanded steel surface with 10 ga. x 2-1/2" roll-formed vertical edges on all sides and reinforced by a 10 ga. die-formed angle substructure. Substructure includes all mounting holes for easy assembly of bench.
- Standard: All steel surfaces of the seat are covered with a thermo-plastic coating in a Brown color (indicated by "VW" in model no., e.g. PAB/G-4VW10). The UV-stabilized thermo-plastic coating is applied in a multi step process of material preparation and finish application designed to permanently heat fuse and bond the finish to the steel. The thermo-plastic polyethylene finish is impact resistant, does not support mold or mildew, and the textured matte surface is less susceptible to marring and scuffing.
- **Standard:** Seat is 10" wide (nom.), indicated by "10" at end of model number, e.g. PAB/G-4VW**10**.
- **Optional:** Seat is 12" wide (nom.), indicated by "12" at end of model number, e.g. PAB/G-4VW**12**.
- **Optional:** Color choices of powder coated steel frame components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Color choices of Thermo-plastic coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.


AVAILABLE OPTIONS


4', 6', or 8' models Powder Coat Finish in choice of colors for Steel Frame components Choice of colors of Thermo-plastic Coating





| MODEL | DIMENSION | NOIS |
|--------|-----------|--------|
| NUMBER | В | q |
| PAB-4 | 48 | 98 |
| PAB-6 | 72 | 51-3/4 |
| PAB-8 | 96 | 02 |





ALL DIMENSIONS IN INCHES

| Inc. | 2-0946 |
|----------|-------------------------|
| °. | . IA 51012-0946 |
| Mfg. | erokee, |
| | 946 · Ch |
| RJThomas | P.O. Box 946 • Cherokee |
| _ | |

| DRAWN BY | 1 4 7 4 7 4 7 | > |
|----------|---------------|-------------|
| 9 | j | 346 |

| 5-16-11 | AI-1839 |
|---------|----------|
| рате 5- | DWG. NO. |
| | |