

Model SCXB Embedded Mount 4, 6, and 8 Ft. Bench with Plastisol Coated #SPC-BC-107 **Expanded Steel Back and Seat**

SPECIFICATION

REV. 06-09



Model SCXB/G-6VW10 Embedded Mount Bench with Hot-Dip Galvanized Frames, 6 Ft. long with 10" wide Brown Plastisol Coated Expanded Steel seat and back.

- Extra heavy design to be stronger and more stable with a simple, clean style
- Sturdy, formed and welded steel frame construction
- Frames are Hot-Dip Galvanized after fabrication for superior corrosion resistance
- Plastisol Coating heat fused to Expanded Steel Seat and Back for durability
- Vinyl Plastisol formulated with U.V. stabilizers for ultraviolet protection
- Quality construction throughout

SPECIFICATIONS:

- Model SCXB end frames are one-piece, welded construction with a back and seat bracket of 2-3/8" x 1-1/2" x 1/8" nominal sized, die-formed channel, and a 2.375" (2-3/8") O.D. post to meet 2" nominal steel pipe size specifications. Bench leg is designed to be permanently embedded in concrete footings.
- Model SCXB/G-4 is 4 ft. long (nom.).
- Model SCXB/G-6 is 6 ft. long (nom.).
- Model SCXB/G-8 is 8 ft. long (nom.).
- **Standard:** Frames are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. SCXB/G-4VW10).
- Standard: Seat and back are 10" wide one-piece welded construction, fabricated from a 3/4-#9 expanded steel surface with 10 ga. x 2-1/2" (2" on 4 ft. models) roll-formed vertical edges on all sides and reinforced by a 10 ga. x 2-1/4" x 1-1/4" die-formed angle substructure. Substructure includes all mounting holes for easy assembly.
- Standard: All steel surfaces of the seat and back are covered with a coating of Brown (indicated by "VW" in model no., e.g. SCXB/G-4VW10) vinyl Plastisol formulated with high impact additives, UV inhibitors, and an anti-microbial to resist mold and mildew. Plastisol coating is permanently heat-fused to the steel to an average thickness of 125 mils (1/8") for an overall average thickness, including top and bottom coatings, of 250 mils (1/4").
- All fasteners are provided for assembly.
- Optional: Color choices of powder coated steel frame components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- **Optional:** Color choices of plastisol coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- Optional: Seat and back can each be a 12" wide one-piece welded construction with 10 ga. x 2-1/2" roll-formed vertical edges on all sides. Indicate choice by changing "10" in model no. to "12", e.g. SCXB/G-4VW12.

AVAILABLE OPTIONS

4', 6' or 8' models Powder Coat Finish in choice of colors for steel frame components Choice of colors of plastisol coating 10" or 12" seat and back width Armrests

