


## T400 Series Round, Pedestal Table with Thermo-plastic Coated R-Type Perforated Steel Top and Contour Seats

SPECIFICATION
BULLETIN
#SPC-TB-211

REV. 03-23



Model T434/CR-4RB Surface Mount, Single Pedestal, 4 ft. dia. Round Table with red powder coat frames, with black thermo-plastic coated R-Type perforated steel top and contour seats.

- Surface mount, single pedestal frame design
- Four contour seats accommodate eight adults
- Frames are hot dip galvanized after fabrication for superior corrosion resistance
- Thermo-plastic Coating heat fused to Perforated Steel Top and Seats for durability
- Thermo-plastic Coating formulated with U.V. stabilizers for ultraviolet protection
- Quality construction throughout

## **AVAILABLE OPTIONS**

Powder Coat Finish in choice of colors for steel frame components Choice of colors of Thermo-plastic Coating Umbrella Anchor screws

## **SPECIFICATIONS:**

- **T400 Series** table top and seats are suspended from one centrally located 6" sq. x 7 ga. (3/16") wall steel post with a 3/8" x 16" x16" steel plate base for permanent anchoring to flat hard surfaces. Each seat is supported by a 3-1/2" dia. steel tube designed to resist lateral torsion and deflection when fully loaded, a 2-3/8" dia. crossmember, and two 2" x 2" x 1/8" die formed steel angle mounts. The top is supported by a subframe of 7 ga. channel, two 2" x 2" x 1/8" die formed steel angle mounts, and 2-3/8" dia. reinforcing tube.
- Frame is designed in a theft-proof manner with all fasteners connected to the central post so that the carriage bolts extend into the central post and are nonremovable once the table is assembled.
- Model T434/G-4 has a nom. 4 ft. diameter top.
- Nominal table height is 32". Nominal seat height is 20".
- All fasteners are provided for assembly.
- **Standard:** All steel frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. T434/**G**-4RW).
- $\bullet$  Perforated steel top and seats are 14 ga. with 9/16" dia. holes in a 13/16" center to center in-line pattern. Table top is a one-piece welded construction, fabricated from perforated steel surface with 10 ga. x 2" formed vertical edges on all sides and reinforced by a 10 ga. die-formed angle substructure. Substructure includes all mounting holes for easy assembly.
- Table is provided with four 45" wide chair seats. Each seat is a one-piece welded construction, fabricated from a perforated steel surface welded to a 1/4" x 1-1/2" flat steel substructure. Exposed edges of seat have a rolled 1-1/2" radius. Substructure includes all mounting holes for assembly.
- Table top includes a reinforced center hole for installation of optional umbrella with 1-1/2" dia. pole.
- Standard: All steel surfaces of the top and seats are covered with a thermo-plastic coating in a Brown color (indicated by "RW" in model no., e.g. T434/G-4RW). The UV-stabilized thermo-plastic coating is applied in a multi step process of material preparation and finish application designed to permanently heat fuse and bond the finish to the steel. The thermo-plastic polyethylene finish is impact resistant, does not support mold or mildew, and the textured matte surface is less susceptible to marring and scuffing.
- **Optional:** Color choices of powder coated steel frame components. See Specification Bulletin #SPC-CO-001.
- **Optional:** Color choices of Thermo-plastic coated steel components. For optional colors choices see Specification Bulletin #SPC-CO-001.
- Wheelchair accessible models may be created by excluding one seat (Model T433) or two seats (Model T432).
- Optional: An umbrella is available. Please inquire.
- Optional: Set of (4) concrete screw anchors.

RJ Thomas Mfg. Co., Inc.

