#### PILOT ROCK PARK · STREET · CAMP SITE PRODUCTS TRQ-32 Series Trash Receptacle Holder with Recycled Plastic Slats REV. 03-19



Model TRQ/G-32PA24 Trash Receptacle Holder, hot dip galvanized steel frame rings and gray recycled plastic 2" x 4" slats. Shown with Model CN-PQD/N-27 green plastic dome hatch lid

- 32 gallon capacity
- Welded Steel Frame Ring Fabrication
- 100% Recycled Plastic slats with solid color and U.V. stabilizer for ultraviolet protection
- Large choice of color, lid, liner, and mounting options

# **MOUNTING OPTIONS**

Model M2/G Embedded Pedestal Mount: elevated concrete embedded installation Model M3/G Surface Pedestal Mount: elevated base plate on concrete installation Model M6/B Surface Ground Anchors:

four steel rod anchors for temporary location in lawns or on soft dirt.

### CAN AND LINER OPTIONS

**Model CNG-2310CL:** Regular-duty, 31 gal. capacity, galvanized steel can with lid

Model CN/B-1827: 36 gal. capacity,

heavy-duty, rigid plastic liner

Model CN-4132CL: 30 gal. capacity,

plastic liner with lid

**Model CNG-WHD32CL:** Federal Duty, 32 gal. capacity, galvanized steel can with lid

# RJ Thomas Mfg. Co., Inc.


PO Box 946 • Cherokee, IA 51012-0946 • PH: 712-225-5115 • 800-762-5002 • FAX: 712-225-5796 E-mail: pilotrock@rjthomas.com • Web Site: http://www.pilotrock.com © 2019 RJ Thomas Mfg. Co., Inc. PILOT ROCK<sup>®</sup> Park Products is a registered trademark of RJ Thomas Mfg. Co., Inc.

# SPECIFICATIONS:

- •Model TRQ-32 Series trash receptacle holders are designed to hold most commercially available 30 to 32 gal. garbage containers.
- •Model TRQ-32 frames are a set of two welded square rings. Top ring is constructed from 10 ga. x 2-3/8" steel angle formed, flanged inward, to a 22" I.D. square ring. Base ring is constructed from 10 ga. x 2" steel angle formed, flanged outward, to a 21-15/16" I.D. square ring, reinforced with die-formed cross braces of 10 ga. x 2" steel bar.
- •All fasteners are provided for assembly.
- •Assembled receptacle is a nominal 30" high.
- •**Standard:** Rings are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. TRQ/G-32PC24).
- •**Standard:** Slats are made of 100% Recycled Plastic molded into 2" x 4" nominal sized planks with solid Cedar color (indicated by "**PC24**" in model no., e.g. TRQ/G-32**PC24**) formed throughout and a U.V. stabilizer added for ultra-violet protection.
- $\bullet$  All slats are precision drilled for assembly and have all exposed edges removed to a 3/8" radius.
- •**Optional:** All steel frame components have powder coat finish. See Specification Bulletin #SPC-CO-001.
- •**Optional:** Color choices of Recycled Plastic components. See Specification Bulletin #SPC-CO-001.

## LID OPTIONS

- Model T/ -2410 Flat Steel Lid with 10" opening
- Model TQ/ -2410R Flat Steel Lid with 10" opening and rain cover
- Model TQ/ -2410A Flat Steel Lid with 10" opening, rain cover and ashtray
- Model CN/B-1826 Flat Molded Plastic Lid with 10" center opening
- Model CN-PQ/ 24PC Series Recycled Plastic Flat Lids with 3" dia. opening, with 4-3/8" dia. opening or with 5-7/8" dia. opening
  - ◆ Indicates choice of finish or color Inquire for specific model options



Specification Bulletin SPC-TR-034