



*Model XTX/CE-8AL 8 Ft. Extra Heavy Duty Portable  
Rectangular Utility Table with burgandy powder coated frames  
and anodized aluminum top*

- **Constructed specifically for heavy use areas**
- **All welded end frames are fabricated from 2-3/8" diameter steel pipe**
- **Die-formed center channel and diagonal braces align and strengthen entire table**
- **Frames are hot dip galvanized after fabrication for superior corrosion resistance**
- **Aluminum top with a clear anodized maintenance free finish**

#### **AVAILABLE OPTIONS**

- **6', 8' or 10' length**
- **Powder Coat Finish in choice of colors for steel frame components**
- **Powder Coat Finish in choice of colors for aluminum top**

#### **SPECIFICATIONS:**



- **XTX Series** end frames are one-piece welded construction, fabricated from 2.375" O.D. (2-3/8" O.D.) steel pipe to meet 2" nominal steel pipe size specifications with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the top. Frame foot is formed with flattened and rounded ends. A 9/16" hole is provided in each end of foot for optional surface mounting with concrete anchors (anchors not included).
- **Model XTX/G-6** has a nom. 6 ft. length.
- **Model XTX/G-8** has a nom. 8 ft. length.
- **Model XTX/G-10** has a nom. 10 ft. length and includes an additional center frame.
- Nominal table height is 30".
- Frames are supported by diagonal braces of 1-5/16" O.D. x 14 ga. wall steel pipe that connect to a die-formed steel channel designed to align and provide attachment to the table top.
- **Standard:** All steel frame components are hot-dip galvanized after fabrication to ASTM-A123 to maintain an average zinc coating of 2.0 oz. per sq. ft. of surface area (indicated by "/G" in model no., e.g. XTX/G-6AL).
- Aluminum is extruded 6063-T6 aluminum alloy in planks with dimensions equivalent to that of 2" x 10" nominal sized lumber. The plank design is 1-3/4" x 9-5/8" with four structural reinforcement ribs for greater rigidity. Aluminum planks are provided with a clear anodized finish as per anodizing specification 204 R1. Aluminum clips to fasten planks to frames are included.
- Channel end caps are extruded 6063-T6 aluminum alloy provided with a clear anodized finish as per anodizing specification 204 R1. End caps are press fitted over ends of aluminum planks and mechanically fastened in place at the factory.
- Table top is assembled into single unit (at the factory) with one-piece end caps across each end.
- All fasteners are provided for assembly.
- **Optional:** All steel frame components are powder coat finish. See Specification Bulletin #SPC-CO-001.
- **Optional:** Aluminum top and end caps are powder coat finish. See Specification Bulletin #SPC-CO-001.

### **RJThomas Mfg. Co., Inc.**



PO Box 946 • Cherokee, IA 51012-0946 • PH: 712-225-5115 • 800-762-5002 • FAX: 712-225-5796

E-Mail: [pilotrock@rjthomas.com](mailto:pilotrock@rjthomas.com) • Web Site: <http://www.pilotrock.com>

© 2011 RJThomas Mfg. Co., Inc. PILOT ROCK® Park Products is a registered trademark of RJThomas Mfg. Co., Inc.



MODEL	DIMENSIONS		CENTER FRAME
	a	b	
XTX-6	72	51 3/4	NO
XTX-8	96	70	NO
XTX-10	120	51 3/4	YES



ALL DIMENSIONS IN INCHES

**RJ Thomas Mfg. Co., Inc.**  
P.O. Box 946 • Cherokee, IA 51012-0946

DRAWN BY  
**WWM**

TITLE XTX SERIES 6, 8, AND 10 FT PORTABLE, RECTANGULAR UTILITY TABLE  
WITH ALUMINUM TOP

DATE 3-14-11

DWG. NO. **AI-2002**